

I. Excerpts from a letter from The American Academy of Pediatrics sent in support of a similar bill being proposed in Congress:

“The American Academy of Pediatrics (AAP) is a non-profit professional organization of 60,000 primary care pediatricians, pediatric medical sub-specialists, and pediatric surgical specialists dedicated to the health, safety and well-being of infants, children, adolescents, and young adults....

In May 2011, the International Agency for Research on Cancer (IARC), the United Nations’ World Health Organization’s (WHO) agency promoting international cancer research collaboration, classified RF energy as “possibly carcinogenic to humans.”

...The AAP strongly supports...examining the effects of radiofrequency (RF) energy on vulnerable populations, including children and pregnant women. **Children are disproportionately affected by environmental exposures, including [wireless] radiation. The differences in bone density and the amount of fluid in a child’s brain compared to an adult’s brain could allow children to absorb greater quantities of RF energy deeper into their brains than adults...”**

2. Excerpts from a 2015 letter from Martha Herbert, PhD, MD as testimony submitted about the published studies showing harm to children from WiFi in schools (includes a list of relevant published studies):

“I am a pediatric neurologist and neuroscientist on the faculty of Harvard Medical School and on staff at the Massachusetts General Hospital. I am Board Certified in Neurology with Special Competency in Child Neurology, and Subspecialty Certification in Neurodevelopmental Disorders.

I have an extensive history of research and clinical practice in neurodevelopmental disorders, particularly autism spectrum disorders. I have published papers in brain imaging research, in physiological abnormalities in autism spectrum disorders, and in environmental influences on neurodevelopmental disorders such as autism and on brain development and function.

A few years ago I accepted an invitation to review literature pertinent to a potential link between Autism Spectrum Disorders and Electromagnetic Frequencies (EMF) and Radiofrequency Radiation(RFR). I set out to write a paper of modest length, but found much more literature than I had anticipated to review. I ended up producing a 60 page single spaced paper with over 550 citations. It is available at http://www.bioinitiative.org/report/wp-content/uploads/pdfs/sec20_2012_Findings_in_Autism.pdf

(T)here is a whole series of problems at the cellular, sub-cellular and metabolic levels and immune levels that have been identified in autism. And interestingly, for every single one of those problems, there's literature about how EMFs can create those kinds of problems.

The argument I made in these articles is not that EMF is proven to cause autism, but rather, that EMF can certainly contribute to degrading the physiological integrity of the system at the cellular and molecular level" - and this in turn appears to contribute to the pathogenesis/causation not only of autism but of many highly common chronic illnesses, including cancer, obesity, diabetes and heart disease. Please see this article on page 24-25 at the link <http://virtualpublications.soloprinting.com/publication/?i=252361>

In fact, there are thousands of papers that have accumulated over decades -and are now accumulating at an accelerating pace, as our ability to measure impacts become more sensitive - that document adverse health and neurological impacts of EMF/RFR. Children are more vulnerable than adults, and children with chronic illnesses and/or neurodevelopmental disabilities are even more vulnerable.

Current technologies were designed and promulgated without taking account of biological impacts other than thermal impacts. We now know that there are a large array of impacts that have nothing to do with the heating of tissue. The claim from wifi proponents that the only concern is thermal impacts is now definitively outdated scientifically.

Radiofrequency electromagnetic radiation from wifi and cell towers can exert a disorganizing effect on the ability to learn and remember, and can also be destabilizing to immune and metabolic function. This will make it harder for some children to learn, particularly those who are already having learning or medical problems in the first place. And since half of the children in this country have some kind of chronic illness, this means that a lot of people are more vulnerable than you might expect to these issues.

Powerful industrial entities have a vested interest in leading the public to believe that EMF/RFR, which we cannot see, taste or touch, is harmless, but this is not true. Please do the right and precautionary thing for our children.

I urge you to opt for wired technologies in...classrooms, particularly for those subpopulations that are most sensitive. It will be easier for you to make a healthier decision now than to undo misguided decisions later.

APPENDIX: MORE DETAILED SUMMARY OF THE PATHOPHYSIOLOGY

I became interested in the health and brain effects of electromagnetic frequency (EMF) and radiofrequency radiation (RFR) exposures in relation to my brain research because I was interested in how such exposures might alter brain function. In order to familiarize myself in more detail existing literature on the pathophysiological impacts of EMF/RFR, I coauthored a 40,000 word chapter in the 2012 update of the Bioinitiative, ¹ and published

an updated 30,000 word version of that paper (“Autism and EMF? Plausibility of a Pathophysiological

Link”) in 2013 in two parts in the peer reviewed journal *Pathophysiology*.^{2,3} My intention was to assess the plausibility of an association between increasing incidence of autism spectrum disorder and increasing EMF/RFR exposures. Rather than directly address the epidemiological issues, I looked at the parallels between the pathophysiological features documented in autism and the pathophysiological impacts of EMF/RFR documented in the peer-reviewed published scientific literature.

I will include here a brief summary of the paper (prepared for a lay audience) of the features of EMF/RFR that I reviewed (with citations at the end of this letter):

- EMF/RFR stresses cells. It lead to cellular stress, such as production of heat shock proteins, even when The EMF/RFR isn’t intense enough to cause measurable heat increase.⁴⁻⁶
- EMF/RFR damages cell membranes, and make them leaky, which makes it hard for them to maintain important chemical and electrical differences between what is inside and outside the membrane. This degrades metabolism in many ways – makes it inefficient.⁷⁻¹⁵
- EMF/RFR damages mitochondria. Mitochondria are the energy factories of our cells. Mitochondria conduct their chemical reactions on their membranes. When those membranes get damaged, the mitochondria struggle to do their work and don’t do it so well. Mitochondria can also be damaged through direct hits to steps in their chemical assembly line. When mitochondria get inefficient, so do we. This can hit our brains especially hard, since electrical communication and synapses in the brain demands huge amounts of energy.
- EMF/RFR creates “oxidative stress.” Oxidative stress is something that occurs when the system can’t keep up with the stress caused by utilizing oxygen, because the price we pay for using oxygen is that it generates free radicals. These are generated in the normal course of events, and they are “quenched” by antioxidants like we get

in fresh fruits and vegetables; but when the antioxidants can't keep up or the damage is too great, the free radicals start damaging things.

- EMF/RFR is genotoxic and damages proteins, with a major mechanism being EMF/RFR-created free radicals which damage cell membranes, DNA, proteins, anything they touch. When free radicals damage DNA they can cause mutations. This is one of the main ways that EMF/RFR is genotoxic – toxic to the genes. When they damage proteins they can cause them to fold up in peculiar ways. We are learning that diseases like Alzheimer's are related to the accumulation of mis-folded proteins, and the failure of the brain to clear out this biological trash from its tissues and fluids.
- EMF/RFR depletes glutathione, which is the body's premier antioxidant and detoxification substance. So on the one hand EMF/RFR creates damage that increases the need for antioxidants, and on the other hand they deplete those very antioxidants.^{1, 16}
- EMF/RFR damages vital barriers in the body, particularly the blood-brain barrier, which protects the brain from things in the blood that might hurt the brain. When the blood-brain barrier gets leaky, cells inside the brain suffer, be damaged, and get killed.^{1, 16, 17}
- EMF/RFR can alter the function of calcium channels, which are openings in the cell membranes that play a huge number of vital roles in brain and body.¹⁸⁻²⁷
- EMF/RFR degrades the rich, complex integration of brainwaves, and increase the "entropy" or disorganization of signals in the brain – this means that they can become less synchronized or coordinated; such reduced brain coordination has been measured in autism.²⁸⁻⁴⁰
- EMF/RFR can interfere with sleep and the brain's production of melatonin.⁴¹⁻⁴³
- EMF/RFR can contribute to immune problems.⁴⁴⁻⁵⁰
- EMF/RFR contribute to increasing stress at the chemical, immune and electrical levels, which we experience psychologically.^{51-57 17, 58-62 63-68}

Please note that:

1. There are a lot of other things that can create similar damaging effects, such as thousands of "xenobiotic" substances that we call toxicants. Significantly, toxic chemicals (including those that contain naturally occurring toxic elements such as lead and mercury) cause damage through many of the same mechanisms outlined above.
2. In many of the experimental studies with EMF/RFR, damage could be diminished by improving nutrient status, particularly by adding antioxidants and melatonin.⁶⁹⁻⁷²

I understand that the concept of electromagnetic hypersensitivity is not always well understood in the medical and scientific communities. Indeed, the inter-individual variability is perplexing to those who would expect a more consistent set of features.

But given the range of challenges I have listed that EMF/RFR poses to core processes in biological systems, and given the inter-individually variable vulnerability across these symptoms, it is really not surprising that there would be subgroups with different combinations of symptom clusters.

It also appears to be the case that the onset and duration of symptoms or even brain response to EMR/RFR can be variable. This again is to be expected given the mediation of these symptoms through a variety of the above-listed pathophysiological processes, many of which differ in scale (ranging from molecular to cellular to tissue and organ) and time course of impact. The different parts of the body also absorb this energy differently, both

because of their biophysical properties and as a function of their state of health or compromise thereof.

CITATIONS

1. Herbert MR, Sage C. Findings in autism spectrum disorders consistent with electromagnetic frequencies (emf) and radiofrequency radiation (rfr). *BioInitiative Update*. 2012
2. Herbert MR, Sage C. Autism and emf? Plausibility of a pathophysiological link - part i. *Pathophysiology*. 2013;20:191-209
3. Herbert MR, Sage C. Autism and emf? Plausibility of a pathophysiological link - part ii. *Pathophysiology*. 2013;20:211-234
4. Blank M. Electromagnetic fields. *Pathophysiology*. 2009;16 (2-3)
5. Blank M. Evidence for stress response (stress proteins) (section 7). *The BioInitiative Report 2012: A Rationale for a Biologically-based Public Exposure Standard for Electromagnetic Fields (ELF and RF)*. 2012:<http://www.bioinitiative.org/table-of-contents/>
6. Evers M, Cunningham-Rundles C, Hollander E. Heat shock protein 90 antibodies in autism. *Mol Psychiatry*. 2002;7 Suppl 2:S26-28
7. Desai NR, Kesari KK, Agarwal A. Pathophysiology of cellphone radiation: Oxidative stress and carcinogenesis with focus on male reproductive system. *Reprod Biol Endocrinol*. 2009;7:114
8. Phelan AM, Lange DG, Kues HA, Luty GA. Modification of membrane fluidity in melanin-containing cells by low-level microwave radiation. *Bioelectromagnetics*. 1992;13:131-146
9. Beneduci A, Filippelli L, Cosentino K, Calabrese ML, Massa R, Chidichimo G. Microwave induced shift of the main phase transition in phosphatidylcholine membranes. *Bioelectrochemistry*. 2012;84:18-24
10. El-Ansary A, Al-Ayadhi L. Lipid mediators in plasma of autism spectrum disorders. *Lipids Health Dis*. 2012;11:160
11. El-Ansary AK, Bacha AG, Al-Ayahdi LY. Plasma fatty acids as diagnostic markers in autistic patients from saudi arabia. *Lipids Health Dis*. 2011;10:62
12. Chauhan A, Chauhan V, Brown WT, Cohen I. Oxidative stress in autism: Increased lipid peroxidation and reduced serum levels of ceruloplasmin and transferrin--the antioxidant proteins. *Life Sci*. 2004;75:2539-2549
13. Pecorelli A, Leoncini S, De Felice C, Signorini C, Cerrone C, Valacchi G, et al. Non-protein-bound iron and 4-hydroxynonenal protein adducts in classic autism. *Brain Dev*. 2012:epub.
14. Ming X, Stein TP, Brimacombe M, Johnson WG, Lambert GH, Wagner GC. Increased excretion of a lipid peroxidation biomarker in autism. *Prostaglandins Leukot Essent Fatty Acids*. 2005;73:379-384
15. Yao Y, Walsh WJ, McGinnis WR, Pratico D. Altered vascular phenotype in autism: Correlation with oxidative stress. *Arch Neurol*. 2006;63:1161-1164
16. Herbert MR, Sage C. Autism and emf? Plausibility of a pathophysiological link, parts i and ii. *Pathophysiology*. In press

17. Salford LG, Nittby H, Persson BR. Effects of emf from wireless communication upon the blood-brain barrier. *BioInitiative 2012: A Rationale for a Biologically-based Public Exposure Standard for Electromagnetic Fields (ELF and RF)*. 2012;www.bioinitiative.org, Section 10
18. Pall ML. Electromagnetic fields act via activation of voltage-gated calcium channels to produce beneficial or adverse effects. *J Cell Mol Med*. 2013
19. Nesin V, Bowman AM, Xiao S, Pakhomov AG. Cell permeabilization and inhibition of voltage-gated Ca^{2+} and Na^{+} channel currents by nanosecond pulsed electric field. *Bioelectromagnetics*. 2012;33:394-404
20. Maskey D, Kim HJ, Kim HG, Kim MJ. Calcium-binding proteins and gfap immunoreactivity alterations in murine hippocampus after 1 month of exposure to 835 mhz radiofrequency at sar values of 1.6 and 4.0 w/kg. *Neurosci Lett*. 2012;506:292-296
21. Maskey D, Kim M, Aryal B, Pradhan J, Choi IY, Park KS, et al. Effect of 835 mhz radiofrequency radiation exposure on calcium binding proteins in the hippocampus of the mouse brain. *Brain Res*. 2010;1313:232-241
22. Kittel A, Siklos L, Thuroczy G, Somosy Z. Qualitative enzyme histochemistry and microanalysis reveals changes in ultrastructural distribution of calcium and calcium-activated atpases after microwave irradiation of the medial habenula. *Acta Neuropathol*. 1996;92:362-368
23. Dutta SK, Das K, Ghosh B, Blackman CF. Dose dependence of acetylcholinesterase activity in neuroblastoma cells exposed to modulated radio-frequency electromagnetic radiation. *Bioelectromagnetics*. 1992;13:317-322
24. Palmieri L, Persico AM. Mitochondrial dysfunction in autism spectrum disorders: Cause or effect? *Biochim Biophys Acta*. 2010;1797:1130-1137
25. Peng TI, Jou MJ. Oxidative stress caused by mitochondrial calcium overload. *Ann N Y Acad Sci*. 2010;1201:183-188
26. Pessah IN, Lein PJ. *Evidence for environmental susceptibility in autism: What we need to know about gene x environment interactions*. Humana; 2008.
27. Stamou M, Streifel KM, Goines PE, Lein PJ. Neuronal connectivity as a convergent target of gene-environment interactions that confer risk for autism spectrum disorders. *Neurotoxicol Teratol*. 2012
28. Bachmann M, Lass J, Kalda J, Sakki M, Tomson R, Tuulik V, et al. Integration of differences in eeg analysis reveals changes in human eeg caused by microwave. *Conf Proc IEEE Eng Med Biol Soc*. 2006;1:1597-1600
29. Marino AA, Nilsen E, Frilot C. Nonlinear changes in brain electrical activity due to cell phone radiation. *Bioelectromagnetics*. 2003;24:339-346
30. Marino AA, Carrubba S. The effects of mobile-phone electromagnetic fields on brain electrical activity: A critical analysis of the literature. *Electromagn Biol Med*. 2009;28:250-274
31. Vecchio F, Babiloni C, Ferreri F, Curcio G, Fini R, Del Percio C, et al. Mobile phone emission modulates interhemispheric functional coupling of eeg alpha rhythms. *Eur J Neurosci*. 2007;25:1908-1913
32. Hountala CD, Maganioti AE, Papageorgiou CC, Nanou ED, Kyprianou MA, Tsiafakis VG, et al. The spectral power coherence of the eeg under different emf conditions. *Neurosci Lett*. 2008;441:188-192
33. Just MA, Cherkassky VL, Keller TA, Minshew NJ. Cortical activation and synchronization during sentence comprehension in high-functioning autism: Evidence of underconnectivity. *Brain*. 2004;127:1811-1821
34. Muller RA, Shih P, Keehn B, Deyoe JR, Leyden KM, Shukla DK. Underconnected, but how? A survey of functional connectivity mri studies in autism spectrum disorders. *Cereb Cortex*. 2011;21:2233-2243
35. Wass S. Distortions and disconnections: Disrupted brain connectivity in autism. *Brain Cogn*. 2011;75:18-28
36. Duffy FH, Als H. A stable pattern of eeg spectral coherence distinguishes children with autism from neuro-typical controls - a large case control study. *BMC Med*. 2012;10:64
37. Isler JR, Martien KM, Grieve PG, Stark RI, Herbert MR. Reduced functional connectivity in visual evoked potentials in children with autism spectrum disorder. *Clin Neurophysiol*. 2010
38. Murias M, Swanson JM, Srinivasan R. Functional connectivity of frontal cortex in healthy and adhd children reflected in eeg coherence. *Cereb Cortex*. 2007;17:1788-1799

39. Murias M, Webb SJ, Greenson J, Dawson G. Resting state cortical connectivity reflected in eeg coherence in individuals with autism. *Biol Psychiatry*. 2007;62:270-273
40. Coben R, Clarke AR, Hudspeth W, Barry RJ. Eeg power and coherence in autistic spectrum disorder. *Clin Neurophysiol*. 2008;119:1002-1009
41. Rossignol DA, Frye RE. Melatonin in autism spectrum disorders: A systematic review and meta-analysis. *Dev Med Child Neurol*. 2011;53:783-792
42. Buckley AW, Rodriguez AJ, Jennison K, Buckley J, Thurm A, Sato S, et al. Rapid eye movement sleep percentage in children with autism compared with children with developmental delay and typical development. *Arch Pediatr Adolesc Med*. 2010;164:1032-1037
43. Giannotti F, Cortesi F, Cerquiglini A, Vagnoni C, Valente D. Sleep in children with autism with and without autistic regression. *J Sleep Res*. 2011;20:338-347
44. Johansson O. Disturbance of the immune system by electromagnetic fields—a potentially underlying cause for cellular damage and tissue repair reduction which could lead to disease and impairment. *Pathophysiology*. 2009;16:157-177
45. Johansson O. Evidence for effects on immune function. *BioInitiative Report: A Rationale for a Biologically-based Public Exposure Standard for Electromagnetic Fields (ELF and RF)*. 2007;<http://bioinitiative.org/freeaccess/report/index.htm>
46. Bilbo SD, Jones JP, Parker W. Is autism a member of a family of diseases resulting from genetic/cultural mismatches? Implications for treatment and prevention. *Autism Res Treat*. 2012;2012:910946
47. Persico AM, Van de Water J, Pardo CA. Autism: Where genetics meets the immune system. *Autism Res Treat*. 2012;2012:486359
48. Kong SW, Collins CD, Shimizu-Motohashi Y, Holm IA, Campbell MG, Lee IH, et al. Characteristics and predictive value of blood transcriptome signature in males with autism spectrum disorders. *PLoS One*. 2012;7:e49475
49. Waly MI, Hornig M, Trivedi M, Hodgson N, Kini R, Ohta A, et al. Prenatal and postnatal epigenetic programming: Implications for gi, immune, and neuronal function in autism. *Autism Res Treat*. 2012;2012:190930
50. Lintas C, Sacco R, Persico AM. Genome-wide expression studies in autism spectrum disorder, rett syndrome, and down syndrome. *Neurobiol Dis*. 2012;45:57-68
51. Andrzejak R, Poreba R, Poreba M, Derkacz A, Skalik R, Gac P, et al. The influence of the call with a mobile phone on heart rate variability parameters in healthy volunteers. *Ind Health*. 2008;46:409-417
52. Szmigielski S, Bortkiewicz A, Gadzicka E, Zmyslony M, Kubacki R. Alteration of diurnal rhythms of blood pressure and heart rate to workers exposed to radiofrequency electromagnetic fields. *Blood Press Monit*. 1998;3:323-330
53. Bortkiewicz A, Gadzicka E, Zmyslony M, Szymczak W. Neurovegetative disturbances in workers exposed to 50 hz electromagnetic fields. *Int J Occup Med Environ Health*. 2006;19:53-60
54. Graham C, Cook MR, Sastre A, Gerkovich MM, Kavet R. Cardiac autonomic control mechanisms in power-frequency magnetic fields: A multistudy analysis. *Environ Health Perspect*. 2000;108:737-742
55. Saunders RD, Jefferys JG. A neurobiological basis for elf guidelines. *Health Phys*. 2007;92:596-603
56. Buchner K, Eger H. Changes of clinically important neurotransmitters under the influence of modulated rf fields—a long-term study under real-life conditions (translated; original study in german). *Umwelt-Medizin-Gesellschaft* 2011;24:44-57
57. Bellieni CV, Acampa M, Maffei M, Maffei S, Perrone S, Pinto I, et al. Electromagnetic fields produced by incubators influence heart rate variability in newborns. *Arch Dis Child Fetal Neonatal Ed*. 2008;93:F298-301
58. Narayanan A, White CA, Saklayen S, Scaduto MJ, Carpenter AL, Abduljalil A, et al. Effect of propranolol on functional connectivity in autism spectrum disorder—a pilot study. *Brain Imaging Behav*. 2010;4:189-
59. Anderson CJ, Colombo J. Larger tonic pupil size in young children with autism spectrum disorder. *Dev Psychobiol*. 2009;51:207-211
60. Anderson CJ, Colombo J, Unruh KE. Pupil and salivary indicators of autonomic dysfunction in autism spectrum disorder. *Dev Psychobiol*. 2012

61. Daluwatte C, Miles JH, Christ SE, Beversdorf DQ, Takahashi TN, Yao G. Atypical pupillary light reflex and heart rate variability in children with autism spectrum disorder. *J Autism Dev Disord.* 2012
62. Ming X, Bain JM, Smith D, Brimacombe M, Gold von-Simson G, Axelrod FB. Assessing autonomic dysfunction symptoms in children: A pilot study. *J Child Neurol.* 2011;26:420-427
63. Hirstein W, Iversen P, Ramachandran VS. Autonomic responses of autistic children to people and objects. *Proc Biol Sci.* 2001;268:1883-1888
64. Toichi M, Kamio Y. Paradoxical autonomic response to mental tasks in autism. *J Autism Dev Disord.* 2003;33:417-426
65. Ming X, Julu PO, Brimacombe M, Connor S, Daniels ML. Reduced cardiac parasympathetic activity in children with autism. *Brain Dev.* 2005;27:509-516
66. Mathewson KJ, Drmic IE, Jetha MK, Bryson SE, Goldberg JO, Hall GB, et al. Behavioral and cardiac responses to emotional stroop in adults with autism spectrum disorders: Influence of medication. *Autism Res.* 2011;4:98-108
67. Cheshire WP. Highlights in clinical autonomic neuroscience: New insights into autonomic dysfunction in autism. *Auton Neurosci.* 2012;171:4-7
68. Chang MC, Parham LD, Blanche EI, Schell A, Chou CP, Dawson M, et al. Autonomic and behavioral responses of children with autism to auditory stimuli. *Am J Occup Ther.* 2012;66:567-576
69. Kesari KK, Kumar S, Behari J. 900-mhz microwave radiation promotes oxidation in rat brain. *Electromagn Biol Med.* 2011;30:219-234
70. Oktem F, Ozguner F, Mollaoglu H, Koyu A, Uz E. Oxidative damage in the kidney induced by 900-mhz- emitted mobile phone: Protection by melatonin. *Arch Med Res.* 2005;36:350-355
71. Lai H, Singh NP. Melatonin and a spin-trap compound block radiofrequency electromagnetic radiation- induced DNA strand breaks in rat brain cells. *Bioelectromagnetics.* 1997;18:446-454
72. Xu S, Zhou Z, Zhang L, Yu Z, Zhang W, Wang Y, et al. Exposure to 1800 mhz radiofrequency radiation induces oxidative damage to mitochondrial DNA in primary cultured neurons. *Brain Res.* 2010;1311:189- 196