

## **SB 742 STAFF MEASURE SUMMARY**

### **Senate Committee On Housing and Development**

---

**Prepared By:** Devin Edwards, LPRO Analyst

**Meeting Dates:** 3/25, 4/6

---

#### **WHAT THE MEASURE DOES:**

Restricts local governments from prohibiting certain alarm systems or battery-charged fences. Requires warning signs for battery-charged fences.

#### **ISSUES DISCUSSED:**

#### **EFFECT OF AMENDMENT:**

No amendment.

#### **BACKGROUND:**

The International Electrotechnical Commission (IEC) is a global membership organization of electrotechnology companies that develops uniform technical standards for industry products, such as alarm systems and battery-charged fences. Governments and firms may choose to adopt IEC standards. In Oregon, cities and counties have authority to create their own codes for alarm systems and battery-charged fences.

Battery-charged fences connect with alarm systems to contact law enforcement and generate no more than 12 volts of direct current. Battery-charged fences are height-limited and must be surrounded by a nonelectric perimeter fence or wall.

Senate Bill 742 restricts local governments from prohibiting the installation or use of battery-charged fences. In addition, the measure prevents local governments from requiring alarm systems and battery-charged fences to meet standards that conflict with IEC standards. Local governments may still require a permit for the installation or use of a battery-charged fence. Warning signs must be posted at regular intervals for all battery-charged fences.