

HOUSE AMENDMENTS TO HOUSE BILL 3102

By COMMITTEE ON WATER

March 15

1 On page 1 of the printed bill, delete lines 4 through 10 and insert:

2 **“SECTION 1. (1) The Department of Environmental Quality shall purchase one**
3 **cyanotoxin autoanalyzer system instrument to be used to analyze water samples for**
4 **cyanotoxins. The department shall acquire any services and supplies necessary for the op-**
5 **eration of the instrument described in this subsection.**

6 **“(2) The department shall purchase one nutrient analyzer system instrument. The de-**
7 **partment shall acquire any services and supplies necessary for the operation of the instru-**
8 **ment described in this subsection.**

9 **“(3) The department shall create, fill and utilize two positions within the department to**
10 **assist with the analysis of water samples for cyanotoxins and to collect water samples during**
11 **peak periods.”.**

12 In line 19, before “instrument” insert “cyanotoxin autoanalyzer system”.

13 On page 2, delete lines 6 through 12 and insert:

14 **“SECTION 4. In addition to and not in lieu of any other appropriation, there is appro-**
15 **riated to the Department of Environmental Quality, for the biennium beginning July 1, 2021,**
16 **out of the General Fund, the following amounts:**

17 **“(1) \$160,000 for the purpose of carrying out the provisions of section 1 (1) of this 2021**
18 **Act;**

19 **“(2) \$65,000 for the purpose of carrying out the provisions of section 1 (2) of this 2021 Act;**
20 **and**

21 **“(3) \$363,005 for the purpose of carrying out the provisions of section 1 (3) of this 2021**
22 **Act.”.**

23