



TEXAS HEALTH AND HUMAN SERVICES COMMISSION

CHARLES SMITH
EXECUTIVE COMMISSIONER

Update on the Use of Psychotropic Medications for Children in Texas Foster Care: Fiscal Years 2002-2017

The Health and Human Services Commission (HHSC), the Department of Family and Protective Services (DFPS) and the Department of State Health Services (DSHS) have coordinated since 2004 to better assess and implement strategies to ensure the appropriate prescribing of psychotropic medications to children in foster care and assist healthcare providers in prescribing psychotropic medications appropriately.

In March of 2004, HHSC and DFPS convened the DFPS Advisory Committee on Psychotropic Medications, which issued a report and recommendations. These recommendations included the establishment of a statewide clinical consultation and monitoring system.

Subsequently, an interagency group, comprised of HHSC, DFPS and DSHS, developed and released the *Psychotropic Medication Utilization Parameters for Foster Children* (published February 2005 and updated in January 2007 and December 2010). The most recent update published in September 2013, along with other information is available at: http://www.dfps.state.tx.us/Child_Protection/Medical_Services/guide-psychotropic.asp.



These best practice Parameters were distributed statewide for implementation in February 2005. In June 2006, a report was released by DFPS, HHSC and DSHS, the *Use of Psychoactive Medication in Texas Foster Children in FY 2005* (available at: https://www.dfps.state.tx.us/documents/Child_Protection/pdf/2006-06_UsePsychMedsFosterChild.pdf). This report concluded that the overall use of psychotropic medications and polypharmacy in children in foster care declined after the release of the best practice Parameters.

This update on the use of psychotropic medications in Texas children in foster care is based on that report and focuses on four of the criteria outlined in the Parameters. These are the following.

- * Prescribing psychotropic medications for very young children.
- * Prescribing two or more medications from the same drug class concurrently.
- * Five or more psychotropic medications prescribed concurrently (This was changed to 4 or more during FY2014).
- * Absence of a mental health diagnosis.

The graphs and tables below summarize key information and provide updates related to this report, which is based on Medicaid prescription and medical claims data from state fiscal year 2002 to the most recent available year. Specifically, they show children receiving: psychotropic medications, two or more medications from the same drug class concurrently, and five or more medications concurrently. The tables provide additional information about those who received psychotropic medications and did not have a mental health diagnosis listed on Medicaid claim forms.

As the charts below show, psychotropic prescribing of all types has significantly decreased since the release of the Parameters in February 2005 both in terms of the percentage of foster care children receiving them and in the overall percentage of children receiving medication regimens outside of the recommended criteria of the best practice Parameters. STAR Health (a single managed care health plan for the children and youth in foster care that began in April 2008) conducts reviews of the psychotropic regimens for the children and youth.



FY2017

Age	0 – 2	%*	3	%	4 – 5	%	6 – 12	%	13 – 17	%	0 – 17	%
Total Foster children ¹	17,412	.	3,562	.	6,023	.	16,725	.	9,685	.	53,407	100.00%
Got psych meds ²	488	2.80%	158	4.44%	846	14.05%	5,615	33.57%	4,789	49.45%	11,896	22.27%
Got meds ≥ 60 days ³	165	0.95%	59	1.66%	449	7.46%	3,774	22.57%	3,365	34.74%	7,812	14.63%
(non-stimulant) ⁴	.	.	45	45	0.08%
Class polypharmacy ⁵	8	0.05%	5	0.14%	14	0.23%	198	1.18%	475	4.90%	700	1.31%
≥4 psych meds ⁶	4	0.02%	1	0.03%	6	0.10%	395	2.36%	498	5.14%	904	1.69%
≥5 psych meds ⁶	1	0.01%	82	0.49%	122	1.26%	205	0.38%
Either polypharmacy ⁷	9	0.05%	5	0.14%	16	0.27%	505	3.02%	785	8.11%	1,320	2.47%

FY2016

Age	0 – 2	%*	3	%	4 – 5	%	6 – 12	%	13 – 17	%	0 – 17	%
Total Foster children ¹	17,119	.	3,490	.	6,183	.	16,874	.	9,728	.	53,394	100.00%
Got psych meds ²	460	2.69%	181	5.19%	906	14.65%	5,695	33.75%	4,826	49.61%	12,068	22.60%
Got meds ≥ 60 days ³	157	0.92%	82	2.35%	477	7.72%	3,892	23.07%	3,474	35.71%	8,082	15.14%
(non-stimulant) ⁴	.	.	55	55	0.10%
Class polypharmacy ⁵	5	0.03%	4	0.11%	19	0.31%	219	1.30%	450	4.63%	697	1.31%
≥4 psych meds ⁶	2	0.01%	.	.	11	0.18%	421	2.50%	521	5.36%	955	1.79%
≥5 psych meds ⁶	2	0.03%	77	0.46%	117	1.20%	196	0.37%
Either polypharmacy ⁷	5	0.03%	4	0.11%	24	0.39%	545	3.23%	771	7.93%	1,349	2.53%

FY2015****

Age	0 – 2	%*	3	%	4 – 5	%	6 – 12	%	13 – 17	%	0 – 17	%
Total Foster children ¹	16,992	.	3,554	.	6,575	.	17,113	.	9,975	.	54,209	100.00%
Got psych meds ²	433	2.55%	180	5.06%	1,027	15.62%	5,766	33.69%	4,865	48.77%	12,271	22.64%
Got meds ≥ 60 days ³	161	0.95%	73	2.05%	576	8.76%	4,050	23.67%	3,531	35.40%	8,391	15.48%
(non-stimulant) ⁴	.	.	58	58	0.11%
Class polypharmacy ⁵	4	0.02%	2	0.06%	21	0.32%	205	1.20%	468	4.69%	700	1.29%
≥4 psych meds ⁶	2	0.01%	2	0.06%	12	0.18%	411	2.40%	545	5.46%	972	1.79%
≥5 psych meds ⁶	2	0.03%	80	0.47%	115	1.15%	197	0.36%
Either polypharmacy ⁷	5	0.03%	3	0.08%	29	0.44%	516	3.02%	810	8.12%	1,363	2.51%

FY2014

Age	0 – 2	%*	3	%	4 – 5	%	6 – 12	%	13 – 17	%	0 – 17	%
Total Foster children ¹	15,134	.	3,408	.	6,201	.	14,989	.	9,028	.	48,760	100.00%
Got psych meds ²	795	5.25%	338	9.92%	1,394	22.48%	6,409	42.76%	5,486	60.77%	14,422	29.58%
Got meds ≥ 60 days ³	56	0.37%	75	2.20%	694	11.19%	4,078	27.21%	3,831	42.44%	8,734	17.91%
(non-stimulant) ⁴	.	.	64	64	0.13%
Class polypharmacy ⁵	.	.	1	0.03%	12	0.19%	195	1.30%	479	5.31%	687	1.41%
≥5 psych meds ⁶	4	0.07%	71	0.47%	122	1.35%	197	0.40%
Either polypharmacy ⁷	.	.	1	0.03%	13	0.21%	235	1.57%	537	5.95%	786	1.61%
No MH dx (all) ⁸	568	3.75%	129	3.79%	281	4.53%	1,094	7.30%	863	9.56%	2,935	6.02%
No MH dx ≥ 60 days ⁹	29	51.79%	12	16.00%	51	7.35%	343	8.41%	311	8.12%	746	8.54%

FY2013

Age	0 – 2	%*	3	%	4 – 5	%	6 – 12	%	13 – 17	%	0 – 17	%
Total Foster children ¹	14,669	.	3,458	.	6,237	.	14,774	.	9,267	.	48,405	100.00%
Got psych meds ²	853	5.8%	403	11.7%	1,562	25.0%	6,458	43.7%	5,761	62.2%	15,037	31.06%
Got meds ≥ 60 days ³	132	0.9%	126	3.6%	745	11.9%	4,183	28.3%	4,053	43.7%	9,239	19.09%
(non-stimulant) ⁴	.	.	95	95	0.20%
Class polypharmacy ⁵	.	.	2	0.1%	8	0.1%	199	1.3%	490	5.3%	699	1.44%
≥5 psych meds ⁶	2	0.0%	66	0.4%	110	1.2%	178	0.37%
Either polypharmacy ⁷	.	.	2	0.1%	8	0.1%	237	1.6%	546	5.9%	793	1.64%
No MH dx (all) ⁸	391	2.7%	73	2.1%	90	1.4%	312	2.1%	455	4.9%	1,321	2.73%
No MH dx ≥ 60 days ⁹	40	30.3%	9	7.1%	9	1.2%	86	2.1%	225	5.6%	369	3.99%

FY2012

Age	0 – 2	%*	3	%	4 – 5	%	6 – 12	%	13 – 17	%	0 – 17	%
Total Foster children ¹	14,522	.	3,504	.	6,129	.	14,312	.	9,421	.	47,888	100.00%
Got psych meds ²	743	5.12%	426	12.16%	1,602	26.14%	6,498	45.40%	5,983	63.51%	15,252	31.85%
Got meds ≥ 60 days ³	59	0.41%	111	3.17%	790	12.89%	4,267	29.81%	4,268	45.30%	9,495	19.83%
(non-stimulant) ⁴	.	.	90	90	0.19%
Class polypharmacy ⁵	6	0.10%	257	1.80%	547	5.81%	810	1.69%
≥5 psych meds ⁶	87	0.61%	118	1.25%	205	0.43%
Either polypharmacy ⁷	6	0.10%	310	2.17%	606	6.43%	922	1.93%
No MH dx (all) ⁸	284	1.96%	57	1.63%	84	1.37%	306	2.14%	544	5.77%	1,275	2.66%
No MH dx ≥ 60 days ⁹	7	11.86%	2	1.80%	9	1.14%	82	1.92%	265	6.21%	365	3.84%

FY2011****

Age	0 – 2	%*	3	%	4 – 5	%	6 – 12	%	13 – 17	%	0 – 17	%
Total Foster children ¹	15,859	.	3,199	.	5,465	.	13,293	.	9,379	.	47,195	100.00%
Got psych meds ²	539	3.40%	387	12.10%	1,470	26.90%	6,188	46.55%	5,841	62.28%	14,425	30.56%
Got meds ≥ 60 days ³	60	0.38%	123	3.85%	775	14.18%	4,183	31.47%	4,189	44.66%	9,330	19.77%
(non-stimulant) ⁴	.	.	88	88	0.19%
Class polypharmacy ⁵	10	0.18%	273	2.05%	499	5.32%	782	1.66%
≥5 psych meds ⁶	6	0.11%	99	0.75%	119	1.27%	224	0.47%
Either polypharmacy ⁷	14	0.26%	324	2.44%	541	5.77%	879	1.86%
No MH dx (all) ⁸	235	1.48%	57	1.78%	88	1.61%	258	1.94%	471	5.02%	1,109	2.35%
No MH dx ≥ 60 days ⁹	13	21.67%	6	4.88%	16	2.07%	71	1.70%	216	5.16%	322	0.68%

FY2010**

Age	0 – 2	%*	3	%	4 – 5	%	6 – 12	%	13 – 17	%	0 – 17	%
Total Foster children ¹	13,804	.	3,062	.	5,129	.	13,022	.	9,671	.	44,688	100%
Got psych meds ²	420	3.04%	346	11.30%	1,340	26.13%	5,951	45.70%	5,678	58.71%	13,735	30.74%
Got meds ≥ 60 days ³	58	0.42%	122	3.98%	729	14.21%	4,209	32.32%	4,053	41.91%	9,171	20.52%
(non-stimulant) ⁴	.	.	72	72	0.16%
Class polypharmacy ⁵	.	.	2	0.07%	10	0.20%	293	2.25%	494	5.11%	799	1.79%
≥5 psych meds ⁶	6	0.12%	91	0.70%	111	1.15%	208	0.47%
Either polypharmacy ⁷	.	.	2	0.07%	15	0.29%	329	2.53%	531	5.49%	877	1.96%
No MH dx (all) ⁸	176	1.28%	36	1.18%	69	1.35%	246	1.89%	441	4.56%	968	2.17%
No MH dx ≥ 60 days ⁹	12	20.69%	5	4.10%	18	2.47%	85	2.02%	169	4.17%	289	3.15%

FY2009**

Age	0 – 2	%*	3	%	4 – 5	%	6 – 12	%	13 – 17	%	0 – 17	%
Total Foster children ¹	12,538	.	2,991	.	5,229	.	13,309	.	9,944	.	44,011	100%
Got psych meds ²	464	3.70%	329	11.00%	1,295	24.77%	6,088	45.74%	5,657	56.89%	13,833	31.43%
Got meds ≥ 60 days ³	64	0.51%	122	4.08%	720	13.77%	4,353	32.71%	4,076	40.99%	9,335	21.21%
(non-stimulant) ⁴	.	.	71	71	0.16%
Class polypharmacy ⁵	5	0.10%	286	2.15%	509	5.12%	800	1.82%
≥5 psych meds ⁶	1	0.02%	100	0.75%	125	1.26%	226	0.51%
Either polypharmacy ⁷	5	0.10%	330	2.48%	554	5.57%	889	2.02%
No MH dx (all) ⁸	232	1.85%	55	1.84%	145	2.77%	446	3.35%	503	5.06%	1,381	3.14%
No MH dx ≥ 60 days ⁹	15	23.44%	14	11.48%	50	6.94%	176	4.04%	219	5.37%	474	5.08%

FY2008**

Age	0 – 2	%*	3	%	4 – 5	%	6 – 12	%	13 – 17	%	0 – 17	%
Total Foster children ¹	12,981	.	2,966	.	5,150	.	13,283	.	9,928	.	44,308	100%
Got psych meds ²	399	3.07%	351	11.83%	1,366	26.52%	6,190	46.60%	5,664	57.05%	13,970	31.53%
Got meds ≥ 60 days ³	61	0.47%	148	4.99%	774	15.03%	4,431	33.36%	4,092	41.22%	9,506	21.45%
(non-stimulant) ⁴	.	.	98	98	0.22%
Class polypharmacy ⁵	.	.	2	0.07%	21	0.41%	365	2.75%	492	4.96%	880	1.99%
≥5 psych meds ⁶	5	0.10%	118	0.89%	125	1.26%	248	0.56%
Either polypharmacy ⁷	.	.	2	0.07%	23	0.45%	403	3.03%	538	5.42%	966	2.18%
No MH dx (all) ⁸	174	1.34%	51	1.72%	92	1.79%	260	1.96%	256	2.58%	833	1.88%
No MH dx ≥ 60 days ⁹	11	18.03%	8	5.41%	28	3.62%	74	1.67%	60	1.47%	181	1.90%

STAR HEALTH managed care program for children in foster care started 4/1/2008

FY2007

Age	0 – 2	%*	3	%	4 – 5	%	6 – 12	%	13 – 17	%	0 – 17	%
Total Foster children ¹	12,160	.	2,624	.	4,740	.	12,648	.	9,634	.	41,806	100%
Got psych meds ²	468	3.85%	401	15.28%	1,475	31.12%	6,449	50.99%	6,015	62.44%	14,808	35.42%
Got meds ≥ 60 days ³	84	0.69%	170	6.48%	838	17.68%	4,687	37.06%	4,531	47.03%	10,310	24.66%
(non-stimulant) ⁴	.	.	84	84	0.20%
Class polypharmacy ⁵	.	.	5	0.19%	28	0.59%	401	3.17%	600	6.23%	1,034	2.47%
≥5 psych meds ⁶	2	0.04%	143	1.13%	162	1.68%	307	0.73%
Either polypharmacy ⁷	.	.	5	0.19%	29	0.61%	464	3.67%	650	6.75%	1,148	2.75%
No MH dx (all) ⁸	162	1.33%	43	1.64%	73	1.54%	234	1.85%	167	1.73%	679	1.62%
No MH dx ≥ 60 days ⁹	13	15.48%	5	2.94%	11	1.31%	64	1.37%	60	1.32%	153	1.48%

FY2006

Age	0 – 2	%*	3	%	4 – 5	%	6 – 12	%	13 – 17	%	0 – 17	%
Total Foster children ¹	11,327	.	2,483	.	4,227	.	11,578	.	9,331	.	38,946	100%
Got psych meds ²	377	3.33%	391	15.75%	1,350	31.94%	6,153	53.14%	5,981	64.10%	14,252	36.59%
Got meds ≥ 60 days ³	61	0.54%	159	6.40%	719	17.01%	4,431	38.27%	4,364	46.77%	9,734	24.99%
(non-stimulant) ⁴	.	.	66	66	0.17%
Class polypharmacy ⁵	.	.	2	0.08%	16	0.38%	374	3.23%	570	6.11%	962	2.47%
≥5 psych meds ⁶	2	0.05%	120	1.04%	141	1.51%	263	0.68%
Either polypharmacy ⁷	.	.	2	0.08%	16	0.38%	425	3.67%	619	6.63%	1,062	2.73%
No MH dx (all) ⁸	114	1.01%	28	1.13%	41	0.97%	140	1.21%	118	1.27%	441	1.13%
No MH dx ≥ 60 days ⁹	6	9.84%	3	1.89%	7	0.97%	41	0.93%	48	1.10%	105	1.07%

FY2005

Age	0 – 2	%*	3	%	4 – 5	%	6 – 12	%	13 – 17	%	0 – 17	%
Total Foster children ¹	11,137	.	2,184	.	3,896	.	10,668	.	9,167	.	37,052	100%
Got psych meds ²	440	3.95%	425	19.46%	1,291	33.14%	5,898	55.29%	5,989	65.33%	14,043	37.90%
Got meds ≥ 60 days ³	88	0.79%	187	8.56%	743	19.07%	4,327	40.56%	4,432	48.35%	9,777	26.39%
(non-stimulant) ⁴	.	.	83	83	0.22%
Class polypharmacy ⁵	2	0.02%	1	0.05%	29	0.74%	458	4.29%	755	8.24%	1,245	3.36%
≥5 psych meds ⁶	6	0.15%	136	1.28%	180	1.96%	322	0.87%
Either polypharmacy ⁷	2	0.02%	1	0.05%	31	0.80%	526	4.93%	804	8.77%	1,364	3.68%
No MH dx (all) ⁸	133	1.19%	34	1.56%	58	1.49%	150	1.41%	154	1.68%	529	1.43%
No MH dx ≥ 60 days ⁹	11	12.50%	6	3.21%	18	2.42%	52	1.20%	58	1.31%	145	1.48%

Best practice parameters released in February, 2005

FY2004

Age	0 – 2	%*	3	%	4 – 5	%	6 – 12	%	13 – 17	%	0 – 17	%
Total Foster children ¹	9,011	.	1,802	.	3,137	.	9,245	.	8,426	.	31,621	100%
Got psych meds ²	413	4.58%	378	20.98%	1,210	38.57%	5,405	58.46%	5,750	68.24%	13,156	41.61%
Got meds ≥ 60 days ³	92	1.02%	177	9.82%	705	22.47%	4,105	44.40%	4,362	51.77%	9,441	29.86%
(non-stimulant) ⁴	.	.	73	73	0.23%
Class polypharmacy ⁵	.	.	5	0.28%	37	1.18%	641	6.93%	895	10.62%	1,578	4.99%
≥5 psych meds ⁶	5	0.16%	213	2.30%	223	2.65%	441	1.39%
Either polypharmacy ⁷	.	.	5	0.28%	40	1.28%	712	7.70%	952	11.30%	1,709	5.40%
No MH dx (all) ⁸	114	1.27%	23	1.28%	57	1.82%	161	1.74%	195	2.31%	550	1.74%
No MH dx ≥ 60 days ⁹	8	8.70%	4	2.26%	10	1.42%	63	1.54%	92	2.11%	177	1.87%

FY2003

Age	0 – 2	%*	3	%	4 – 5	%	6 – 12	%	13 – 17	%	0 – 17	%
Total Foster children ¹	8,283	.	1,631	.	2,819	.	8,964	.	7,751	.	29,448	100%
Got psych meds ²	413	4.99%	326	19.99%	1,002	35.55%	5,150	57.45%	5,298	68.35%	12,189	41.39%
Got meds ≥ 60 days ³	81	0.98%	145	8.89%	604	21.43%	3,891	43.41%	3,994	51.53%	8,715	29.59%
(non-stimulant) ⁴	.	.	79	79	0.27%
Class polypharmacy ⁵	1	0.01%	5	0.31%	29	1.03%	409	4.56%	728	9.39%	1,172	3.98%
≥5 psych meds ⁶	10	0.36%	158	1.76%	155	2.00%	323	1.10%
Either polypharmacy ⁷	1	0.01%	5	0.31%	34	1.21%	487	5.43%	783	10.10%	1,310	4.45%
No MH dx (all) ⁸	134	1.62%	28	1.72%	51	1.81%	151	1.69%	186	2.40%	550	1.87%
No MH dx ≥ 60 days ⁹	18	22.22%	7	4.83%	14	2.32%	61	1.57%	91	2.28%	191	2.19%

FY2002

Age	0 – 2	%*	3	%	4 – 5	%	6 – 12	%	13 – 17	%	0 – 17	%
Total Foster children ¹	7,483	.	1,444	.	2,575	.	8,639	.	7,288	.	27,429	100%
Got psych meds ²	323	4.32%	245	16.97%	831	32.27%	4,754	55.03%	4,700	64.49%	10,853	39.57%
Got meds ≥ 60 days ³	63	0.84%	101	6.99%	453	17.59%	3,582	41.46%	3,485	47.82%	7,684	28.01%
(non-stimulant) ⁴	.	.	47	47	0.17%
Class polypharmacy ⁵	.	.	2	0.14%	12	0.47%	330	3.82%	572	7.85%	916	3.34%
≥5 psych meds ⁶	5	0.19%	94	1.09%	92	1.26%	191	0.70%
Either polypharmacy ⁷	.	.	2	0.14%	15	0.58%	367	4.25%	598	8.21%	982	3.58%
No MH dx (all) ⁸	112	1.50%	26	1.80%	58	2.25%	164	1.90%	205	2.81%	565	2.06%
No MH dx ≥ 60 days ⁹	15	23.81%	5	4.95%	16	3.53%	68	1.90%	101	2.90%	205	2.66%

**Percentages in the first row for total foster children are the percent of total foster children across that row only. All other percentages are the percent of children within a specific age group (calculated down the age group columns based on the number in that age group).*

***Prescriptions for 2008 - 2010 were revised and updated to reflect the inclusion of additional drug formulations (same drugs but different versions such as extended release, higher or lower dosage, etc.) that had been released during those years and three new antipsychotics, Paliperidone (brand name Invega), Asenapine (brand name Saphris) and loperidone (brand name Fanapt), that were approved by the FDA after the initial drug lists for this study were compiled.*

**** Prescriptions for 2011 were revised and updated to reflect the inclusion of additional drug formulations (same drugs but different versions such as extended release, higher or lower dosage, etc.) that had been released during those years*

*****In 2015 definitions of drug classes were changed from the DSHS Formulary to the American Hospital Formulary System (AHFS) categories selected by Medicaid. This will include substantially more drugs, but many are infrequently used among children. Four prescription polypharmacy as well as Five prescription polypharmacy is represented in the table. The classification of "either polypharmacy" is now triggered by Four prescription polypharmacy or class polypharmacy*

Table Notes. Data may have changed from previous versions of report due to various reasons, such as programming code changes, additional data becoming available, and additional drugs added to the list of psychotropic medications as described under ** above.

1. Total children in each group is taken from the State Fiscal Year Medicaid Eligibility File and is determined by the age of the child in months at the beginning of the fiscal year. For example, Ages 0-2 includes up through the end of the 35th month after birth.
2. A child was considered to have gotten a psychotropic medication if any medication on the attached list was prescribed (filled and paid) at any time during the year in question. If the child got any psychotropic medication that can also be used as an anti-seizure medication or as a treatment for allergies, then the non-mental health uses of those medications were deleted from the data as much as was possible. See Methodology section of the June 2006 report at http://www.dfps.state.tx.us/documents/about/pdf/2006-06_UsePsychMedsFosterChild.pdf for additional details.
3. Because many times psychotropic medications are prescribed very short term for medical illnesses (e.g. when undergoing an outpatient surgical procedure) or mental health problems (e.g. after a traumatic experience), or for psychiatric diagnoses for which they are found to be ineffective, it was decided to remove all data for children who did not receive a prescription for a psychotropic medication that lasted at least 60 days. While this may seem long, it is important to remember that prescribers tend to write 30-day or longer prescriptions even at first diagnosis. Many times these medications are not taken past a few days due to ineffectiveness, side effects, or failure to adhere to the prescribed regimen. Therefore, it makes sense to concentrate efforts on those children who most likely were actually taking medications past an initial prescription. This row for Ages 0-2 addresses the first half of Criteria 7 in the 'Criteria Indicating Need for Further Review of a Child's Clinical Status' section of the "Psychotropic Medication Utilization Parameters for Foster Children" as published on the DFPS website, hereafter referred to as the Parameters.
4. This second line in this row shows the number of 3 year olds who got any medication for longer than 60 days that was not a stimulant medication. This item addresses the last part of Criteria 7 in the Parameters.
5. Class polypharmacy is defined as the concurrent prescription for 60 days or longer of two unique medications from the same class. In the case of the class of mood stabilizers, where the evidence base supports the use of two medications concurrently, class polypharmacy is defined as the concurrent prescription of three or more meds for 60 days or longer. See the note above for an explanation of the 60-day qualifier. This row reflects Criteria 3 from the Parameters.
6. The prescription of five or more medications concurrently is defined as any five psychotropic medications prescribed at the same time for 60 days or longer. This is a different type of polypharmacy from #5 above and is Criteria 2 from the Parameters. This was changed to 4 or more during FY2014
7. This row represents any child who met either of the two polypharmacy criteria of the Parameters.
8. No MH diagnosis is defined as no ICD 9 code reflecting any mental health diagnosis listed on any claim form for services at any time during the year. The full June 2006 report contains a list of diagnosis codes used.
9. No MH diagnosis >60 days is defined as no ICD 9 code reflecting any psychiatric diagnosis listed on any claim form at any time during the year for those children who received greater than 60 days of any psychotropic medication. This row addresses Criteria 1 from the Parameters.