HB 4151-1 (LC 48) 1/31/22 (HE/ps)

Requested by Representative BOSHART DAVIS

PROPOSED AMENDMENTS TO HOUSE BILL 4151

1 On page 1 of the printed bill, line 3, after "480.343," insert "480.344,".

2 Delete lines 8 through 28 and on page 2, delete lines 1 through 10 and 3 insert:

"SECTION 2. (1) A filling station, service station, garage or other
dispensary where Class 1 flammable liquids are dispensed at retail may
not designate more than the same number of fuel dispensing devices
for self-service use by customers as are designated for attended service
by an owner, operator or employee of the dispensary of Class 1
flammable liquids.

"(2) A self-service fuel dispensing device may be equipped with an
 automated payment device and must be equipped with an automatic
 nozzle as described in ORS 480.340.

"(3)(a) A filling station, service station, garage or other dispensary
 offering fuel dispensing devices for self-service must post one or more
 notification signs that are clearly readable by an operator of a motor
 vehicle stating:

"(A) Which fueling devices are designated for self-service and which
 fueling devices are designated for attended service by an owner, oper ator or employee of a dispensary of Class 1 flammable liquids; and
 "(B) The contact information for the State Fire Marshal.

21 "(b) For devices for which an owner, operator or employee of a

dispensary is available to provide refueling assistance of Class 1
flammable liquids, the signs described in paragraph (a) of this subsection must be consistent with the provisions of ORS 480.344.

"(4) Except as provided in ORS 480.341 and 480.343, a filling station,
service station, garage or other dispensary may allow self-service dispensing of Class 1 flammable liquids at retail only during hours that
the dispensary makes an owner, operator or employee of the
dispensary available for the dispensing of Class 1 flammable liquids.

9 "(5) The price charged for the Class 1 flammable liquid must be 10 identical at the self-service dispensing device and any dispensing de-11 vice reserved for use by an owner, operator or employee of the 12 dispensary.

"(6) Sales under subsection (4) of this section do not make a filling
 station, service station, garage or other dispensary where Class 1
 flammable liquids are dispensed at retail subject to any provisions of
 ORS 480.315 to 480.385 regulating nonretail facilities.

"(7) This section does not prohibit, limit or condition any dispensing
of Class 1 flammable liquids or diesel fuel otherwise authorized under
ORS 480.315 to 480.385.".

20 On <u>page 8</u>, line 23, delete "State Fire Marshal" and insert "Oregon De-21 partment of Emergency Management".

In line 29, after "nozzle" insert "as".

Delete lines 37 through 39 and insert:

"(2) The State Fire Marshal may impose a civil penalty not to ex ceed \$5,000 per day for any violation of section 2 of this 2022 Act or of
 any applicable rule adopted thereunder by the State Fire Marshal.".

27 On page 9, after line 16, insert:

²⁸ "SECTION 14. ORS 480.344 is amended to read:

"480.344. A filling station, service station, garage or other dispensary
subject to ORS 480.341 or 480.343 or section 2 of this 2022 Act, that makes

HB 4151-1 1/31/22 Proposed Amendments to HB 4151 an owner, operator or employee available for dispensing Class 1 flammable
liquids, shall provide equal access to the dispensing services of the
dispensary to persons with disabilities. Equal access shall be provided by:

"(1) Posting a sign that is clearly readable by an operator of a motor
vehicle that notifies persons with disabilities that refueling assistance may
be requested by:

"(a) Contacting the dispensary owner, operator or employee at the telephone number provided in the sign; and

9 "(b) Signaling to the dispensary owner, operator or employee in any other
10 manner described in the sign;

"(2) Providing refueling assistance upon request of a person with a disa-bility; and

"(3) Providing refueling assistance without charging an additional servicefee.".

In line 17, delete "14" and insert "15".

16 In line 18, delete "15" and insert "16".

17